




analytical
LIFE IS A TEST

Test Report n°	A2104192-001	Messrs	
Date Test Report:	11-mag-21	SURE SKINS S.R.L.	
		Via Romaldo, 8	
		84134 SALERNO (SA)	
Sample Description:	Campione di Pelle accoppiato col. Nero	Date of Sampling	04-mag-21
Acceptance Ref.:	A2104192	Sample Arrival Date:	04-mag-21
Sampler:	Committente, analizzato come ricevuto.	Test Start Date:	04-mag-21
Type of test:	M12-M13-M14 Leather		
Law/Authoriz. Ref.:	Capitolato tecnico del cliente - Product RSL		
Sampling	Campionamento a cura del cliente.		



Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ANALYTICAL S.r.l. - Via dell'Industria, 24 - 36071 Arzignano (VI) 0444-452022 - P.I.01503480244

MOD100A - Rev.01 Page 1 of 7

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it



analytical
LIFE IS A TEST

Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
Aromatic amines (AZO)	--	ISO 17234-1:2020; EN ISO 17234-1:2020; UNI EN ISO 17234-1:2020 (IULTCS/IUC 20-1)	-			
4-aminobiphenyl (CAS 92-67-1)	mg/kg		< 30			30
Benzidine (CAS 92-87-5)	mg/kg		< 30			30
2-Chloro-o-Toluidine (CAS 95-69-2)	mg/kg		< 30			30
2-Naphthylamine (AZO4) (CAS 91-59-8)	mg/kg		< 30			30
o-Aminoazotoluene (CAS 97-56-3)	mg/kg		< 30			30
5-Nitro-o-Toluidine (CAS 99-55-8)	mg/kg		< 30			30
4-Chloroaniline (CAS 106-47-8)	mg/kg		< 30			30
4-Methoxy-m-Phenylenediamine (CAS 615-05-4)	mg/kg		< 30			30
4,4-Diaminodiphenylmethane (CAS 101-77-9)	mg/kg		< 30			30
4,4'-metilenedianilina						
3,3-Dichlorobenzidine (CAS 91-94-1)	mg/kg		< 30			30
3,3-Dimethoxybenzidine (CAS 119-90-4)	mg/kg		< 30			30
3,3-Dimethylbenzidine (CAS 119-93-7)	mg/kg		< 30			30
4,4-Methylenedi-o-Toluidine (CAS 838-88-0)	mg/kg		< 30			30
p-Cresidine (CAS 120-71-8)	mg/kg		< 30			30
4-Methylene-bis-(2-chloro-aniline) (CAS 11-14-4)	mg/kg		< 30			30
4,4-Oxydianiline (CAS 101-80-4)	mg/kg		< 30			30
4,4-Thiodianiline (CAS 139-65-1)	mg/kg		< 30			30
o-Toluidine (CAS 95-53-4)	mg/kg		< 30			30
4-Methyl-m-Phenyldiamine (AZO19) (CAS 95-80-7)	mg/kg		< 30			30
2,4,5-Trimethylaniline (CAS 137-17-7)	mg/kg		< 30			30
o-Anisidine (CAS 90-04-0)	mg/kg		< 30			30
4-Aminoazobenzene (CAS 60-09-3)	mg/kg		< 30			30
2,4-Dimethylaniline (2,4-Xylidine) (CAS 95-68-1)	mg/kg		< 30			30

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ANALYTICAL S.r.l. - Via dell'Industria, 24 - 36071 Arzignano (VI) 0444-452022 - P.I.01503480244

MOD100A - Rev.01

Page 2 of 7

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it



analytical GROUP
LIFE IS A TEST

Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
2,6-dimethylaniline (2,6 Xylydine) (CAS 87-62-7)	mg/kg		< 30			30
4-Aminoazobenzene (CAS 60-09-3)	mg/kg		< 30			30
Determinazione con tecnica GC-MS, Quantificazione con tecnica HPLC						
Allergenic dyes	--	DIN 54231:2005	-			
Disperse Blue 3 (CAS 2475-46-9)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 7 (CAS 3179-90-6)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 26 (CAS 3860-63-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 35 (CAS 12222-75-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 102 (CAS 12222-97-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 106 (CAS 12223-01-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 124 (CAS 61951-51-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse orange 1 (CAS 2581-69-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Orange 3 (CAS 730-40-5)	mg/kg	DIN 54231:2005	< 5			5
Disperse Orange 37/76/59 (CAS 12223-33-5, 13301-61-6)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 1 (CAS 119-15-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 9 (CAS 6373-73-5)	mg/kg	DIN 54231:2005	< 5			5
Dispersed Yellow 23 (CAS 6250-23-3)	mg/kg		< 5			5
Disperse Yellow 9 (CAS 6373-73-5)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 49 (CAS 54824-37-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 1 (CAS 2872-52-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 11 (CAS 2872-48-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 17 (CAS 3179-89-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Brown 1 (CAS 23355-64-8)	mg/kg	DIN 54231:2005	< 5			5
Solvent Yellow 14 (CAS 842-07-9)	mg/kg		< 5			5
Orange Dispersed 149 (CAS 85136-74-9)	mg/kg		< 5			5
Carcinogenic dispersed dyes	--	DIN 54231:2005	-			
Disperse blue 1 (CAS 2475-45-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse orange 11 (CAS 82-28-0)	mg/kg	DIN 54231:2005	< 5			5

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ANALYTICAL S.r.l. - Via dell'Industria, 24 - 36071 Arzignano (VI) 0444-452022 - P.I.01503480244

MOD100A - Rev.01 Page 3of 7

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it



analytical
LIFE IS A TEST

Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
Disperse yellow 3 (CAS 2832-40-8)	mg/kg	DIN 54231:2005	< 5			5
Acid red 26 (CAS 3761-53-3)	mg/kg	DIN 54231:2005	< 5			5
Basic red 9 (CAS 25620-78-4, 569-61-9)	mg/kg	DIN 54231:2005	< 5			5
Basic Violet 14 (CAS 632-99-5)	mg/kg	DIN 54231:2005	< 5			5
Direct black 38 (CAS 1937-37-7)	mg/kg	DIN 54231:2005	< 5			5
Direct blue 6 (CAS 2602-46-2)	mg/kg	DIN 54231:2005	< 5			5
Direct red 28 (CAS 573-58-0)	mg/kg	DIN 54231:2005	< 5			5
Basic blue 26 (2580-56-5)	mg/kg		< 5			5
Basic Violet 3 (CAS 548-62-9)	mg/kg		< 5			5
Dispersed Yellow 23 (CAS 6250-23-3)	mg/kg		< 5			5
Orange Dispersed 149 (CAS 85136-74-9)	mg/kg		< 5			5
Direct Brown 95 (CAS 16071-86-6)	mg/kg		< 5			5
Yellow Direct 1 (CAS 6472-91-9)	mg/kg		< 5			5
Red Acid 114 (CAS 6459-94-5)	mg/kg		< 5			5
Dispersed Blue 3 (CAS 2475-46-9)	mg/kg	DIN 54231:2005	< 5			5
Basic Violet 1 (CAS 8004-87-3)	mg/kg		< 5			5
Yellow Solvent 1 (CAS 60-09-3)	mg/kg		< 5			5
Yellow Solvent 2 (CAS 60-11-7)	mg/kg		< 5			5
Basic Violet 49 (CAS 1694-09-3)	mg/kg		< 5			5
Yellow Solvent 3 (CAS 97-56-3)	mg/kg		< 5			5
Alkylphenols and Alkylphenols Ethoxylates	--	EN ISO 18218-1:2015	-			
Octylphenol (OP) (CAS 140-66-9)	mg/kg		< 2			10
Nonylphenol (NP) (CAS 84852-15-3)	mg/kg		< 2			10
Octylphenol Ethoxylate (OPEO) (CAS 9002-93-1)	mg/kg		< 1			30
Nonylphenol Ethoxylate (NPEO) (CAS 68412-54-4)	mg/kg		1,36			30
Sum AP+APEO (Calculated as lower bond)	mg/kg		< 2			50
Formaldehyde	mg/kg	ISO 17226-1:2018 (IULTCS/IUC 19-1)	< 10			75

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ANALYTICAL S.r.l. - Via dell'Industria, 24 - 36071 Arrignano (VI) 0444-452022 - P.I.01503480244

MOD100A - Rev.01 Page 4 of 7

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it



Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
Volatile matter	%	UNI EN ISO 4684:2006 (IULTCS/IUC 5:2005)	8,0			
Hexavalent chromium as Cr VI	mg/kg ss	UNI EN ISO 17075-2:2017	< 2			3
Recovery rate	%	UNI EN ISO 17075-2:2017	96,1			
preparation of the specimen	--		minced			
lorophenols	-	UNI EN ISO 17070:2015	-			
Pentachlorophenol (CAS 87-86-5)	mg/kg ss		< 0,1			0,5
Organotin compounds	--	UNI CEN ISO/TS 16179:2012	-			
Mono Butyltin (MBT) (CAS 2406-65-7)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,1			1
Dibutyltin (DBT) (CAS 1002-53-5)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,1			1
Tri-Butyltin (CAS n°588-73-3)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,025			1
Di-Octyltin (CAS n° 94410-05-6)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,1			1
Tri-Phenyltin (CAS n° 668-34-8)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,1			1
tri-n-Propyl Tin (TPT) (CAS 761-44-4)	mg/kg	UNI CEN ISO/TS 16179:2012	< 0,1			1
pH and difference figure of the aqueous extract	--	UNI EN ISO 4045:2018 (IULTCS/IUC 11:2018)	-			
pH value	unità di pH	UNI EN ISO 4045:2018 (IULTCS/IUC 11:2018)	3,8		3,5	7,5
difference figure	unità di pH	UNI EN ISO 4045:2018 (IULTCS/IUC 11:2018)	0,5			
lcylic Aromatic Hydrocarbons (IPA)	mg/kg	AIPS GS 2019:01 PAK	0			
Benz(a)anthracene (CAS 56-55-3)	mg/kg		0,65			1
Benzo(a)pyrene (CAS 50-32-8)	mg/kg		< 0,5			1
Benzo(e)pyrene (CAS 192-97-2)	mg/kg		< 0,5			1
Benzo(b)fluoranthene (CAS 205-99-2)	mg/kg		< 0,5			1
Benzo(j)fluoranthene (CAS 205-82-3)	mg/kg		< 0,5			1
Benzo(k)fluoranthene (CAS 207-08-9)	mg/kg		< 0,5			1
Chrysene (CAS 218-01-9)	mg/kg		< 0,5			1
Dibenzo(a,h)pirene (CAS 189-64-0)	mg/kg	AIPS GS 2019:01 PAK	< 0,5			1
Phthalates	--	CPSC-CH-C1001-09.4 2018	-			

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it



analytical
LIFE IS A TEST

Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
Buthylbenzil phthalate (BBP) (CAS 85-68-7)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			50
Di-2-ethylhexyl phthalate (DEHP) (CAS 117-81-7)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			50
Di-n-butyl phthalate (DBP) (CAS 84-74-2)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			50
Dinonyl phthalate (DNP) (CAS 84-76-4)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-iso-decyl phthalate (DIDP) (CAS 26761-40-0 and 68515-49-1)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-iso-octyl Phthalate (DIOP) (CAS 27554-26-3)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-iso-nonyl phthalate (DINP) (CAS 28553-12-0 and 68515-48-0)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			50
Di-n-hexyl phthalates (DnHP) (CAS 84-75-3)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-n-octyl phthalate (DNOP) (CAS 117-84-0)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-n-pentyl phthalate (DnPP) (CAS 131-18-0)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-iso-butyl phthalate (DIBP) (CAS 84-69-5)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			50
Diethyl phthalate (DEP) (CAS 84-66-2)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Dimethyl phthalate (DMP) (CAS 131-11-3)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Dicyclohexyl phthalate (DCHP) (CAS 84-61-7)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-iso-pentyl phthalate (DIPP) (CAS 605-50-5)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Dipropyl phthalate (DPrP) (CAS 131-16-8)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Pentyl-iso-pentyl-phthalate (NPIP) (CAS 776297-69-9)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
1,2-Benzendicarbossilico acido, diestere, ramificato e lineare (CAS 68515-50-4)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Di-methoxyethyl phthalate (DMEP) (CAS 117-82-8)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
1,2-Benzenedicarboxylic acid, di-C6-8 branched alkylester, C7 rich (CAS 71888-89-6)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			
Sum (Value calculated as Lower Bound)	mg/kg	CPSC-CH-C1001-09.4 2018	< 50			250
extraction device	--			ultrasound		
sample preparation - weight correction	--			total weight		
Sample Treatment		CPSC-CH-E 1002-08.3:2012		-		

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.

ANALYTICAL S.r.l. - Via dell'Industria, 24 - 36071 Arzignano (VI) 0444-452022 - P.I.01503480244

MOD100A - Rev.01 Page 6 of 7

ready made | recycled leather

SURE SKINS SRL Via San Vito, 6 83029 Solofra (AV)_ Italy
+39 0825 534711 ivan.dariento@sureskins.it sureskins.it

Following test report n° **A2104192-001**

Test results

Test	U.M.	Method	Results	Uncertainty	L.Min.	L.Max.
2,6-dimethylaniline (2,6 Xylidine) (CAS 87-62-7)	mg/kg		< 30			30
4-Aminoazobenzene (CAS 60-09-3)	mg/kg		< 30			30
Determinazione con tecnica GC-MS, Quantificazione con tecnica HPLC						
Allergenic dyes	--	DIN 54231:2005	-			
Disperse Blue 3 (CAS 2475-46-9)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 7 (CAS 3179-90-6)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 26 (CAS 3860-63-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 35 (CAS 12222-75-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 102 (CAS 12222-97-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 106 (CAS 12223-01-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse Blue 124 (CAS 61951-51-7)	mg/kg	DIN 54231:2005	< 5			5
Disperse orange 1 (CAS 2581-69-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Orange 3 (CAS 730-40-5)	mg/kg	DIN 54231:2005	< 5			5
Disperse Orange 37/76/59 (CAS 12223-33-5, 13301-61-6)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 1 (CAS 119-15-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 9 (CAS 6373-73-5)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 23 (CAS 6250-23-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 9 (CAS 6373-73-5)	mg/kg	DIN 54231:2005	< 5			5
Disperse Yellow 49 (CAS 54824-37-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 1 (CAS 2872-52-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 11 (CAS 2872-48-2)	mg/kg	DIN 54231:2005	< 5			5
Disperse Red 17 (CAS 3179-89-3)	mg/kg	DIN 54231:2005	< 5			5
Disperse Brown 1 (CAS 23355-64-8)	mg/kg	DIN 54231:2005	< 5			5
Solvent Yellow 14 (CAS 842-07-9)	mg/kg		< 5			5
Orange Dispersed 149 (CAS 85136-74-9)	mg/kg		< 5			5
Carcinogenic dispersed dyes	--	DIN 54231:2005	-			
Disperse blue 1 (CAS 2475-45-8)	mg/kg	DIN 54231:2005	< 5			5
Disperse orange 11 (CAS 82-28-0)	mg/kg	DIN 54231:2005	< 5			5

Documento Elettronico con Firma Digitale

Expanded uncertainty calculated with a coverage factor of 2 for a probability level of 95%. These test results refer only to the sample(s) examined. Analysis valid for all purposes. This Laboratory Test Report shall not be reproduced except in full unless written permission is received from Analytical lab. In case of declared deviation from the specified conditions, the laboratory does not take responsibility for the data delivered as they can be influenced by this deviation.